1	CENTRAL INTELLIGENCE AGENCY	REPORT
	INFORMATION REPORT	CD NO.
COUNTRY	East Germany	DATE DISTR. 5 November 1954
SUBJECT	1. Central Institute for Radio Techniques 2. Production of Iconoscopes in East Germany	NO. OF PAGES 2
PLACE ACQUIRED		NO. OF ENCLS.
DATE OF INFO.		SUPPLEMENT TO REPORT NO.
OF THE UNITED STATE AND 794. OF THE U. ATION OF ITS CONTE	NIS IO OR RECEIPT BY AN UNAUTHORIZED PERSON	VALUATED INFORMATION
IS PROHIBITED BY LA	W THE REPRODUCTION OF THIS FORM IS PROHIBITED.	•
(ZII sect	Zentralinstitut fuer Funktechnik (Central Institu F) was scheduled to be deactivated on 1 August 19 tions of the institute were to be placed under the tal administration. Dr Gerhardt was expected to be	54. Most of the
(ZI) sectors positive the 2. Dipple of I admit	r) was scheduled to be deactivated on 1 August 1922 tions of the institute were to be placed under the call administration. Dr Gerhardt was expected to be SED believes him to be too weak. Inguitable intends to establish an institution intends to establish an institution it ted plans for this new institutions for the new institute. The fueller was mentioned as positivative ment of the new institute. The the HF Telecommunication ingineering Plant was addiconoscopes on the basis of designs furnished.	te for high vacuum itute to the GDR Council ssible chief of the
(ZI) sectors postine 2. Dippost tectors of ladm 3. Since builthic	r) was scheduled to be deactivated on 1 August 192 tions of the institute were to be placed under the call administration. Dr Gerhardt was expected to be SED believes him to be too weak. Ing the name of the stablish an institution of the plans for this new institutions. The plans for this new institution of the new institute. The telecommunication Engineering Plant was red iconoscopes on the basis of designs furnished and were deliver the second and were deliver the second also considered.	ecause netering the secause netering to the GDR Council saible chief of the not in a position to mpleted at ZIF, built. However, on because the problem
(ZI) sectors postine 2. Dippost tectors admit this	r) was scheduled to be deactivated on 1 August 192 tions of the institute were to be placed under the cal administration. Dr Gerhardt was expected to be SED believes him to be too weak. In tends to establish an institution in the plans for this new institution in the plans for this new institution for the new institute. The the HF Telecommunication in institute. The second in the plans of designs furnish the set of the new institute. The the HF Telecommunication in institute. The second in the plans of designs furnish the set of the new institute. The the HF Telecommunication in institute. The second in the plans of designs furnish the set of the new institute. The the HF Telecommunication in institute. The second in the plans for this new institute. The second in th	pleted at ZIF, built. However, on because the problem
(ZI) sectors postine 2. Dippost tectors admit this	r) was scheduled to be deactivated on 1 August 1922 tions of the institute were to be placed under the call administration. Dr Gerhardt was expected to be SED believes him to be too weak. Ing the name of the stablish an institution of the plans for this new institutions are plans for this new institutions are positive for the new institute. The the HF Telecommunication ingineering Plant was the the HF Telecommunication in the plans of designs furnished the plans of designs furnished the plans of designs furnished the plans of the plans for the plans for the plans for the new institute. The telecommunication ingineering Plant was the ZIF. These iconoscopiand were deliver to be at the ZIF. These iconoscopiand were deliver to be also considered the production of the plans of the plans for the plan	pleted at ZIF, built. However, on because the problem
(ZI) sectors postine 2. Dippost tectors of I admit builthing this of	r) was scheduled to be deactivated on 1 August 192 tions of the institute were to be placed under the call administration. Dr Gerhardt was expected to be SED believes him to be too weak. In the communication of this new institution of the new institute. The the HF Telecommunication institute. The the the HF Telecommunication institute. The the HF Telecommunication institute. The the second in the plant was also communication in the production of the supply of high voltage had not been clarified. The the the the transfer of the production were sequipment was not yet ready to so into production the supply of high voltage had not been clarified.	net in a position to mpleted at ZIF, built. However, on because the problem

CLASSIFICATION SECRET - U.S. OFFICIALS ONLY

| X | NAVY | X | NSRB | DISTRIBUTION |
| X | AIR | FBI | | ORT RE | FBI |
| Approved For Release 2007/07/16 CIA-RDP80-00810A004900510005-0

STATE

ARMY

25**X**1

25X1

25**X**1

25X1

25**X**1

25X1

25**X**1

